

TEMPLE ADAT SHALOM INFANT

15905 POMERADO ROAD
POWAY, CA

2 Inspection Visits Since 2022 · 3 Findings

Most recent inspection: Apr 5, 2024

● 3 Important

Across 2 inspections since 2022, the issues cited most often were Based on Records Review, 3 of 5 Staff Files Were Missing One or More Required Immunization Proofs Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/05/2024 (1), Based on Records Review, 2 of 5 Staff Files Were Missing Health Screenings with TB Negative Results Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/05/2024 (1), and Based on Observation and Director Interview, the Licensee Did Not Comply with the Section Cited Above. The Facility Does Not Have an Operational Carbon Monoxide Detector on Site. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/03/2022 (1). None of the 3 findings were critical.

Inspection Visits

Apr 5, 2024 2 Findings ● 2 Important

- **Based on Records Review, 2 of 5 Staff Files Were Missing Health Screenings with TB Negative Results Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/05/2024**
CCR 101216(g)(1) Personnel Requirements (1) Except as specified in (3) below, good physical health shall be verified by a health screening, including a test for tuberculosis,...

- **Based on Records Review, 3 of 5 Staff Files Were Missing One or More Required Immunization Proofs Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/05/2024**
HSC 1596.7995(a)(1) General Provisions and Definitions (1) Commencing September 1, 2016, a person shall not be employed or volunteer at a day care center if he or she has not been...

May 31, 2022 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation and Director Interview, the Licensee Did Not Comply with the Section Cited Above. The Facility Does Not Have an Operational Carbon Monoxide Detector on Site. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/03/2022**

HSC 1596.954 Licensure Requirements Every licensed child day care center shall have one or more carbon monoxide detectors in the facility that meet the standards established in...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.