

KIDS KASTLE PRESCHOOL

2525 FAIRVIEW ROAD
COSTA MESA, CA

4 Inspection Visits Since 2021 · 9 Findings

Most recent inspection: Oct 21, 2025

● 9 Important

Across 4 inspections since 2021, the issues cited most often were Based on LPA Observation and Staff Interview the Licensee Did Not Comply with the Section Cited Above in 6 Out of 10 Fitted Sheets/infant Crib Mattress Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/22/2025 (1), Based on LPA Observation and Staff Interview, the Licensee Did Not Comply with the Section Cited Above in All Outdoor Padding Squares Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/18/2025 (1), and Based on LPA Observation, Staff Interview, and Record Review the Licensee Did Not Comply with the Section Cited Above in 2 Out of 4 Staff Files Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/18/2025 (1). None of the 9 findings were critical.

Inspection Visits

Oct 21, 2025 4 Findings ● 4 Important

- **Based on LPA Observation and Staff Interview, the Licensee Did Not Comply with the Section Cited Above in All Outdoor Padding Squares Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/18/2025**
CCR 101238.2(d)(2) Outdoor Activity Space (d) The surface of the outdoor activity space shall be maintained: (2) Free of hazards including, but not limited to, holes, broken glass...
- **Based on LPA Observation, Staff Interview, and Record Review, the Licensee Did Not Comply with the Section Cited Above in 11 Out of 20 Children's Files Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/21/2025**
CCR 101429(a)(2)(C) Responsibility for Providing Care and Supervision for Infants (C) Documentation shall be maintained in the infant's file and be available to the Department for...
- **Based on LPA Observation and Staff Interview the Licensee Did Not Comply with the Section Cited Above in 6 Out of 10 Fitted Sheets/infant Crib Mattress Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/22/2025**
CCR 101439.1(b)(1) Infant Care Center Sleeping Equipment (b) A crib or portable -crib meeting United States Consumer Product Safety Commission safety standards shall be provided...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on LPA Observation, Staff Interview, and Record Review the Licensee Did Not Comply with the Section Cited Above in 2 Out of 4 Staff Files Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/18/2025**

HSC 1596.8662(b)(1) Administration of Child Day Care Licensing (1) On or before March 30, 2018, a person who, on January 1, 2018, is a licensed child day care provider,...

May 15, 2025 2 Findings ● 2 Important

- **Cited rule**

CCR 101215.1(b) 1 2 3 4 5 6 7 101215.1(b) Child Care Center Directors Qualifications and Duties: All child care centers shall have a director. This requirement is not met as...

- **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101217(a)(12) 1 2 3 4 5 6 7 101217(a)(12) Personnel Records: The licensee shall ensure that personnel records are maintained on the licensee, administrator and each employee....

Nov 8, 2023 2 Findings ● 2 Important

- **Based on Interview, the Facility Did Not Comply with the Section Cited Above. The Director Stated the Facility Has Not Conducted the Water Lead Testing. This Poses a Potential Health, Safety Risk to Children in Care. POC Due Date: 12/08/2023**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

- **Based on Observation and Interview, the Facility Did Not Comply with the Section Cited Above. The Director Stated the Facility Has Not Conducted the Water Lead Testing and Has Not Received and Posted Results. This Poses a Potential Health, Safety Risk to Children in Care. POC Due Date: 12/08/2023**

WD 100700(c)(1) Written Directives for Lead Testing (1) For a license issued on or after July 1, 2022, initial testing results shall be received and posted within 180 days of...

Nov 18, 2021 1 Finding ● 1 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. A Changing Table in Room 2 Is Not Sanitary and Has Underlying Foam Exposed. POC Due Date: 12/09/2021**

CCR 101439(h)(1) Infant Care Center Fixtures, Furniture, Equipment and Supplies (h) Infant changing tables shall: (1) Have a padded surface no less than one-inch thick and be...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.