

SBCSS CALIMESA STATE PRESCHOOL

800 MUSTANG WAY
CALIMESA, CA

1 Inspection Visit Since 2026 · 1 Finding

Most recent inspection: Mar 3, 2026

● 1 Important

Across 1 inspection since 2026, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above as LPA Observed Several Holes in the Ground in the Outdoor Activity Space Area Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 03/24/2026 (1). The single finding was not critical.

Inspection Visits

Mar 3, 2026 1 Finding ● 1 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above as LPA Observed Several Holes in the Ground in the Outdoor Activity Space Area Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 03/24/2026**

CCR 101238.2(d)(2) Outdoor Activity Space (d) The surface of the outdoor activity space shall be maintained: (2) Free of hazards including, but not limited to, holes, broken glass...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.