

PSD/VICTORVILLE HEAD START

14029 AMARGOSA ROAD, STE. C
VICTORVILLE, CA

2 Inspection Visits Since 2023 · 2 Findings

Most recent inspection: Dec 6, 2023

● 2 Important

Across 2 inspections since 2023, the issues cited most often were Based on Observation, Interview, Record Review, the Licensee Did Not Comply with the Section Cited Above in the Facility Did Not Provide the Follow Up Documents to Licensing for Water Testing Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 12/31/2023 (1) and (POC) Due Date, May Result in a Civil Penalty Assessment. (1). None of the 2 findings were critical.

Inspection Visits

Dec 6, 2023 1 Finding ● 1 Important

- **Based on Observation, Interview, Record Review, the Licensee Did Not Comply with the Section Cited Above in the Facility Did Not Provide the Follow Up Documents to Licensing for Water Testing Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 12/31/2023**
HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

Jan 11, 2023 1 Finding ● 1 Important

- **(POC) Due Date, May Result in a Civil Penalty Assessment.**
CCR 101239 1 2 3 4 5 6 7 101239 (a)(1) A comfortable temperature for children shall be maintained at all times.(1) The temperature in rooms children occupy between a minimum of 68...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.