

WEST FRESNO PRESCHOOL

2910 S IVY AVE
FRESNO, CA

1 Inspection Visit Since 2024 · 1 Finding

Most recent inspection: Aug 22, 2024

● 1 Important

Across 1 inspection since 2024, the issues cited most often were Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. The Facility Did Not Have Record That Their Drinking Water Have Been Tested for Lead Contamination. This Post a Potential Health, Safety or Personal Rights Risk to Children in Care. POC Due Date: 09/23/2024 (1). The single finding was not critical.

Inspection Visits

Aug 22, 2024 1 Finding ● 1 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. The Facility Did Not Have Record That Their Drinking Water Have Been Tested for Lead Contamination. This Post a Potential Health, Safety or Personal Rights Risk to Children in Care. POC Due Date: 09/23/2024**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.