

PENLEIGH CHILD DEVELOPMENT CENTER

1400 E STREET, SUITES D & E
SACRAMENTO, CA

1 Inspection Visit Since 2022 · 1 Finding

Most recent inspection: Apr 22, 2022

● 1 Important

Across 1 inspection since 2022, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above in That Play Equipment Is Damaged and Wa Attempted to Be Repaired with Tape, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/13/2022 (1). The single finding was not critical.

Inspection Visits

Apr 22, 2022 1 Finding ● 1 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above in That Play Equipment Is Damaged and Wa Attempted to Be Repaired with Tape, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/13/2022**

CCR 101238.2(d)(1) Outdoor Activity Space (d) The surface of the outdoor activity space shall be maintained: (1) In a safe condition for the activities planned. This requirement...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.