

WAKEFIELD STATE PRESCHOOL

400 SOUTH AVENUE
TURLOCK, CA

1 Inspection Visit Since 2023 · 1 Finding

Most recent inspection: Mar 23, 2023

● 1 Important

Across 1 inspection since 2023, the issues cited most often were Based on Interview and Record Review, the Licensee Did Not Comply with the Section Cited Above Was Not Able to Provide Evidence of Lead Water Testing as Required by AB2370, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/24/2023 (1). The single finding was not critical.

Inspection Visits

Mar 23, 2023 1 Finding ● 1 Important

- **Based on Interview and Record Review, the Licensee Did Not Comply with the Section Cited Above Was Not Able to Provide Evidence of Lead Water Testing as Required by AB2370, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/24/2023**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.