

ODYSSEY PRESCHOOL

1151 E HILLSDALE BLVD.
FOSTER CITY, CA

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Nov 25, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were At 1:30PM., Based on Observation, LPA Confirmed Several Holes (3) Located on Turf in Preschool Play Yard. This Poses a Potential Risk to the Health and Safety of Children in Care. POC Due Date: 12/05/2025 (1) and At 1:15PM., Based on Observation, LPA Confirmed Accessible Microwave Oven in Classroom #5. This Poses a Potential Risk to the Health and Safety of Children in Care. POC Due Date: 12/05/2025 (1). None of the 2 findings were critical.

Inspection Visits

Nov 25, 2025 2 Findings ● 2 Important

- **At 1:30PM., Based on Observation, LPA Confirmed Several Holes (3) Located on Turf in Preschool Play Yard. This Poses a Potential Risk to the Health and Safety of Children in Care. POC Due Date: 12/05/2025**
CCR 101238.3(b) Indoor Activity Space (b) The floors of all rooms shall have a surface that is safe and clean. This requirement is not met as evidenced by:
- **At 1:15PM., Based on Observation, LPA Confirmed Accessible Microwave Oven in Classroom #5. This Poses a Potential Risk to the Health and Safety of Children in Care. POC Due Date: 12/05/2025**
CCR 101238(a) Buildings and Grounds (a) The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of children,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.