

FUSD/NORTH TAMARIND ELEMENTARY

7961 TAMARIND AVENUE
FONTANA, CA

1 Inspection Visit Since 2024 · 1 Finding

Most recent inspection: Apr 3, 2024

● 1 Important

Across 1 inspection since 2024, the issues cited most often were Based on Record Review, the Licensee Did Not Comply with the Section Cited Above, S1, S2, S3, and S4 Does Not Have a Current Pediatric CPR/First Aid Training Certificate on File From an EMSA Approved Vendor, Which Poses a Potential Safety Risk to Persons in Care. POC Due Date: 05/01/2024 (1). The single finding was not critical.

Inspection Visits

Apr 3, 2024 1 Finding ● 1 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above, S1, S2, S3, and S4 Does Not Have a Current Pediatric CPR/First Aid Training Certificate on File From an EMSA Approved Vendor, Which Poses a Potential Safety Risk to Persons in Care. POC Due Date: 05/01/2024**

CCR 101216(f) Personnel Requirements (f) At least one staff member who is trained in pediatric cardiopulmonary resuscitation and pediatric first aid pursuant to Health and Safety...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.