

WESTSIDE ELEMENTARY SCHOOL

19191 EXCELSIOR
FIVE POINTS, CA

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Jan 24, 2025

● 4 Important

Across 2 inspections since 2024, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed That There Was One Teacher Supervising 13 Napping Children. However, Not All of the Children Were Napping as LPA Observed Several Children Walking Around the Classroom. POC Due Date: 02/14/2025 (1), Based on Interview, and Record Review, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed That Staff #1 Was Missing the LIC 503 Health Screening Report. LPA Also Observed That Staff #2 Had a Health Screening Report on File but It Was Not Signed by a Qualified Health Screener/physician. POC Due Date: 02/14/2025 (1), and Based on Interview, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. During Record Review, Licensing Program Analyst (LPA) Spoke with Facility Representative Who Stated That He Was Unsure if the Facility Was Tested for Lead. Facility Representative Stated That the Children Do Not Drink From the Drinking Fountains and Only Drink From Bottled Water. POC Due Date: 02/16/2024 (1). None of the 4 findings were critical.

Inspection Visits

Jan 24, 2025 2 Findings ● 2 Important

- **Based on Interview, and Record Review, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed That Staff #1 Was Missing the LIC 503 Health Screening Report. LPA Also Observed That Staff #2 Had a Health Screening Report on File but It Was Not Signed by a Qualified Health Screener/physician. POC Due Date: 02/14/2025**

CCR 101216(g)(2) Personnel Requirements (2) Each person specified in (g) above shall have a health-screening report signed by the person performing the screening. This report...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed That There Was One Teacher Supervising 13 Napping Children. However, Not All of the Children Were Napping as LPA Observed Several Children Walking Around the Classroom. POC Due Date: 02/14/2025**

CCR 101230(c) Activities/Napping (c) A teacher-child ratio of one teacher supervising 24 napping children is permitted provided that the remaining teachers necessary to meet the...

Jan 16, 2024 2 Findings ● 2 Important

- **Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. During the Outdoor Inspection, LPA Observed That a Playground Fixture (Jeep with Rubber Tires) Had Exposed Metal Wires Around the Back Tire. LPA Also Observed That the Tire From the Playground Fixture Was Unscrewing From the Frame and Was Very Loose. POC Due Date: 02/02/2024**

CCR 101239(o)(1) Fixtures, Furniture, Equipment and Supplies (o) Playground equipment shall be securely anchored to the ground unless it is portable by design. (1) Equipment shall...

- **Based on Interview, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. During Record Review, Licensing Program Analyst (LPA) Spoke with Facility Representative Who Stated That He Was Unsure if the Facility Was Tested for Lead. Facility Representative Stated That the Children Do Not Drink From the Drinking Fountains and Only Drink From Bottled Water. POC Due Date: 02/16/2024**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.