

HIGHER LEARNING ACADEMY - INFANTS

9467 JAMACHA BOULEVARD SUITE 7
SPRING VALLEY, CA

2 Inspection Visits Since 2022 · 3 Findings

Most recent inspection: Dec 20, 2023

● 3 Important

Across 2 inspections since 2022, the issues cited most often were Based on Analyst Observation, the Licensee Did Not Comply with the Section Cited Above as Two Prohibited Baby Rockers Were Found in the Non-mobile Infant Room Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Children in Care. POC Due Date: 12/21/2023 (1), Based on Analyst Observation, the Licensee Did Not Comply with the Section Cited Above as the Infant Classroom Was Not Found to Currently Have an Installed Carbon Monoxide Detector Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Children in Care. POC Due Date: 12/26/2023 (1), and Based on Observation, Interview and Record Review, the Licensee Did Not Comply with the Section Cited Above in One (1) Out of One (1) Child's Medication Did Not Have a Prescription, Parent Consent Form and Was Not in Its Original Container and Was Not Properly Stored Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/06/2022 (1). None of the 3 findings were critical.

Inspection Visits

Dec 20, 2023 2 Findings ● 2 Important

- **Based on Analyst Observation, the Licensee Did Not Comply with the Section Cited Above as Two Prohibited Baby Rockers Were Found in the Non-mobile Infant Room Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Children in Care. POC Due Date: 12/21/2023**

CCR 101439(d)(2) Infant Care Center Fixtures, Furniture, Equipment and Supplies (d) Swings, playpens and all such equipment and furniture shall be assembled or installed according...

- **Based on Analyst Observation, the Licensee Did Not Comply with the Section Cited Above as the Infant Classroom Was Not Found to Currently Have an Installed Carbon Monoxide Detector Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Children in Care. POC Due Date: 12/26/2023**

HSC 1596.954 Licensure Requirements Every licensed child day care center shall have one or more carbon monoxide detectors in the facility that meet the standards established in...

Aug 23, 2022 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation, Interview and Record Review, the Licensee Did Not Comply with the Section Cited Above in One (1) Out of One (1) Child's Medication Did Not Have a Prescription, Parent Consent Form and Was Not in Its Original Container and Was Not Properly Stored Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/06/2022**

CCR 101226(e)(3)(A) (e) In centers where the licensee chooses to handle medications: (3) Prescription medications may be administered if all of the following conditions are met:...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.