

ANDERSON COUNTRY PRESCHOOL

1023 PARADISE WAY
BIG BEAR CITY, CA

1 Inspection Visit Since 2024 · 2 Findings

Most recent inspection: Oct 30, 2024

● 2 Important

Across 1 inspection since 2024, the issues cited most often were Based on Interview and Record Review, the Licensee Did Not Comply with the Section Cited Above When the Center Did Not Complete the Lead Testing in Accordance with the Written Directives When the LIC 9275 and the LIC 9276 Were Not Completed. This Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/06/2024 (1) and Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above When the First Aid Kit Was Missing the Current Edition of a First-aid Manual, Sterile First Aid Dressing, Tweezers, and Anti Septic Solution, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/06/2024 (1). None of the 2 findings were critical.

Inspection Visits

Oct 30, 2024 2 Findings ● 2 Important

- **Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above When the First Aid Kit Was Missing the Current Edition of a First-aid Manual, Sterile First Aid Dressing, Tweezers, and Anti Septic Solution, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/06/2024**

CCR 101226(d) Health-Related Services (d) The licensee shall maintain the following first-aid supplies in a location accessible to staff but inaccessible to children: This...

- **Based on Interview and Record Review, the Licensee Did Not Comply with the Section Cited Above When the Center Did Not Complete the Lead Testing in Accordance with the Written Directives When the LIC 9275 and the LIC 9276 Were Not Completed. This Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/06/2024**

WD 101700(b) Written Directives for Lead Testing (b) All licensed Child Care Centers operating in buildings constructed before January 1, 2010, shall test their water for lead...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.