

LEUSD WILLIAM COLLIER PRESCHOOL

20150 MAYHALL DRIVE
WILDOMAR, CA

2 Inspection Visits Since 2022 · 2 Findings

Most recent inspection: Sep 27, 2024

● 2 Important

Across 2 inspections since 2022, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above in the Three Swings on the Playground Did Not Have Sufficient Wood Chips to Absorb Fall and Landscaping Fabric/weed Barrier Was Exposed and Ripped Causing Possible Tripping Hazard Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/28/2024 (1) and (POC) Due Date, May Result in a Civil Penalty Assessment. (1). None of the 2 findings were critical.

Inspection Visits

Sep 27, 2024 1 Finding ● 1 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above in the Three Swings on the Playground Did Not Have Sufficient Wood Chips to Absorb Fall and Landscaping Fabric/weed Barrier Was Exposed and Ripped Causing Possible Tripping Hazard Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/28/2024**

CCR 101238.2(e) Outdoor Activity Space (e) As a condition of licensure, the areas around and under high climbing equipment, swings, slides and other similar equipment shall be...

Dec 7, 2022 1 Finding ● 1 Important

- **(POC) Due Date, May Result in a Civil Penalty Assessment.**

HSC 101700.3(b)(1) 1 2 3 4 5 6 7 Testing results with fractional ppb readings of 0.5 ppb or greater shall be rounded up to the nearest whole number, before comparing to the Action...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.