

SKYLINE PRESCHOOL

12540 SKYLINE BOULEVARD
OAKLAND, CA

1 Inspection Visit Since 2025 · 1 Finding

Most recent inspection: Nov 10, 2025

● 1 Important

Across 1 inspection since 2025, the issues cited most often were Based on Observation, the Facility Did Not Comply with the Section Cited Above Because There Was a Cabinet Containing Cleaning Solutions and Chemichals Used for Rodent Treatment That Wasn't Secured with a Child Safe Latch Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/10/2025 (1). The single finding was not critical.

Inspection Visits

Nov 10, 2025 1 Finding ● 1 Important

- **Based on Observation, the Facility Did Not Comply with the Section Cited Above Because There Was a Cabinet Containing Cleaning Solutions and Chemichals Used for Rodent Treatment That Wasn't Secured with a Child Safe Latch Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/10/2025**

CCR 101238(g)(1) Buildings and Grounds (g) Disinfectants, cleaning solutions, poisons and other items that could pose a danger if readily available to children shall be stored...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.