

SANDY HILL NURSERY SCHOOL

1036 SOLANA DRIVE

SOLANA BEACH, CA

3 Inspection Visits Since 2021 · 5 Findings

Most recent inspection: Aug 20, 2025

● 5 Important

Across 3 inspections since 2021, the issues cited most often were Based on Observation the Licensee Did Not Comply in That Facility Does Not Have a Carbon Monoxide Detector Alarm in 3 Separate Classrooms Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 08/21/2025 (1), Based on Observation the Licensee Did Not Comply in That the Playhouse in Footprints Area Has Splintered Edges Around the Windows Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/03/2025 (1), and Based on Observation, the Licensee Did Not Comply with the Section Cited Above in That a Bbq Grill and Propane Tank Is in an Area Accessible to Children Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/03/2025 (1). None of the 5 findings were critical.

Inspection Visits

Aug 20, 2025 3 Findings ● 3 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above in That a Bbq Grill and Propane Tank Is in an Area Accessible to Children Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/03/2025**
CCR 101238.2(h) Outdoor Activity Space (h) Any construction or equipment that could pose a hazard in the outdoor activity area shall be made inaccessible to children in care. This...
- **Based on Observation the Licensee Did Not Comply in That the Playhouse in Footprints Area Has Splintered Edges Around the Windows Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/03/2025**
CCR 101239(n) Fixtures, Furniture, Equipment and Supplies (n) Furniture and equipment shall be maintained in good condition, free of sharp, loose or pointed parts. This...
- **Based on Observation the Licensee Did Not Comply in That Facility Does Not Have a Carbon Monoxide Detector Alarm in 3 Separate Classrooms Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 08/21/2025**
HSC 1596.954 Licensure Requirements Every licensed child day care center shall have one or more carbon monoxide detectors in the facility that meet the standards established in...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

Jul 7, 2022 1 Finding ● 1 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101238(a) 1 2 3 4 5 6 7 Buildings and Grounds .The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of...

Jun 23, 2021 1 Finding ● 1 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101212(d)(1)(B) 1 2 3 4 5 6 7 Reporting Requirements: (d) Upon the occurrence, during the operation of the child care center of any of the events specified in (d)(1) below, a...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.