

IVETTE M RIVERA

11 HILLS ST
EAST HARTFORD, CT

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Aug 7, 2024

● 5 Important

Across 2 inspections since 2024, the issues cited most often were 073-Infants Placed in Safe Crib/Snug Mattress/Tight Sheet (3) and 039-Safe Space-Sufficient (2). None of the 5 findings were critical.

Inspection Visits

Aug 7, 2024 1 Finding ● 1 Important

- **073-Infants Placed in Safe Crib/Snug Mattress/Tight Sheet**
[19a-87b-10(f)(1) and/or 19a-87b-10(f)(4)]

Jul 19, 2024 4 Findings ● 4 Important

- **073-Infants Placed in Safe Crib/Snug Mattress/Tight Sheet**
[19a-87b-10(f)(1) and/or 19a-87b-10(f)(4)]
- **074-Crib or Other Provision Free From Observable Hazards**
[19a-87b-10(f)(3) and/or 19a-87b-10(f)(7)]
- **027-Safe Door Fasteners**
[19a-87b-9(d)(2)]
- **039-Safe Space-Sufficient**
[19a-87b-9(f)(1)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.