

# YAMEL NOBOA

19 SHELDON ST  
WATERBURY, CT

## 3 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Mar 11, 2024



● 5 Important

Across 3 inspections since 2023, the issues cited most often were 046-Water Temperature (4) and 074-Crib or Other Provision Free From Observable Hazards (1). None of the 5 findings were critical.

## Inspection Visits

**Mar 11, 2024** 1 Finding ● 1 Important

● **046-Water Temperature**

[19a-87b-9(h)]

**Nov 8, 2023** 1 Finding ● 1 Important

● **074-Crib or Other Provision Free From Observable Hazards**

[19a-87b-10(f)(3) and/or 19a-87b-10(f)(7)]

**Jul 21, 2023** 3 Findings ● 3 Important

● **023-Freedom of Hazards**

[19a-87b-9(b)]

● **024-Harmful Substances and Materials Inaccessible**

[19a-87b-9(c)]

● **031-Stairways: Protected/Handrails**

[19a-87b-9(d)(4)(D)]

### About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.