

BRIGHTPATH - EAST HAMPTON

140 E HIGH ST
EAST HAMPTON, CT

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Apr 30, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were 104- Equipment-clean and Safe, Good Repair, Non-toxic-sturdy, Free From Protruding Nails, Rust (2), 030-Designated Director (1), and 038-Child Health Records (1). None of the 5 findings were critical.

Inspection Visits

Apr 30, 2026 5 Findings ● 5 Important

● **030-Designated Director**

[19a-79-4a(e)(1)]

● **038-Child Health Records**

[19a-79-5a(a)(2)(A)-(E)]

● **086- Water Temperature 60 ℉ 120 ℉**

[19a-79-7a(e)(3)]

● **104- Equipment-clean and Safe, Good Repair, Non-toxic-sturdy, Free From Protruding Nails, Rust**

[19a-79-7a(g)(1)]

● **159- Non-Prescription Topical Medications**

[19a-79-9a(a)(2-3)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.