

VERNON KINDERCARE

273 TALCOTTVILLE RD
VERNON ROCKVILLE, CT

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Aug 1, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were 084- Air Temperature 65F at 3 ft-Thermometer Affixed (3), 018-Postings (1), and 033-Professional Development (1). None of the 5 findings were critical.

Inspection Visits

Aug 1, 2025 5 Findings ● 5 Important

● **018-Postings**

[19a-79-3a(d)6)(C), (e)(1-6), 7a(e)(17), 10(g)(8)]

● **033-Professional Development**

[19a-79-4a(a)(2), (h)(1-2)]

● **062- Fire Marshal Codes/certificate**

[19a-79-7a(a)(2)]

● **066- Licensed Premises-clean, Good Repair, Hazard Free-maintenance Program**

[19a-79-7a(c)(2)]

● **084- Air Temperature 65F at 3 ft-Thermometer Affixed**

[19a-79-7a(e)(1-2)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.