

BRIGHT HORIZONS AT WILTON

7 GODFREY PL
WILTON, CT

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Jul 14, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were 086- Water Temperature 60 ℉ ý 120 ℉ (3), 159- Non-Prescription Topical Medications (1), and 121- Adequate Sinks-handwashing-diapering/other Use-food Prep (1). None of the 5 findings were critical.

Inspection Visits

Jul 14, 2025 5 Findings ● 5 Important

● **121- Adequate Sinks-handwashing-diapering/other Use-food Prep**

[19a-79-10(d)(1)(A-C)]

● **066- Licensed Premises-clean, Good Repair, Hazard Free-maintenance Program**

[19a-79-7a(c)(2)]

● **086- Water Temperature 60 ℉ ý 120 ℉**

[19a-79-7a(e)(3)]

● **111- Outdoor Space**

[19a-79-7a(h)(1-9)]

● **159- Non-Prescription Topical Medications**

[19a-79-9a(a)(2-3)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.