

BUSY BEES ACADEMY

423 RIVERSIDE DR
NORTH GROSVENORDALE, CT

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Dec 8, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were 104- Equipment-clean and Safe, Good Repair, Non-toxic-sturdy, Free From Protruding Nails, Rust (2), 128- Diapering (1), and 035- Consultants (1). None of the 5 findings were critical.

Inspection Visits

Dec 8, 2025 5 Findings ● 5 Important

● **128- Diapering**

[19a-79-10(e)(1-10)]

● **035- Consultants**

[19a-79-4a(i)(1-2)(H), (F)]

● **038-Child Health Records**

[19a-79-5a(a)(2)(A)-(E)]

● **088- Walls/ceilings/floors/rugs-clean, Good Repair**

[19a-79-7a(e)(5)]

● **104- Equipment-clean and Safe, Good Repair, Non-toxic-sturdy, Free From Protruding Nails, Rust**

[19a-79-7a(g)(1)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.