

IRIS N VELAZQUEZ

81 RIDGEWAY AVE
WATERBURY, CT

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jan 6, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were 028-Electrical Safety (3), 055-Immunizations (1), and 011-Notification of Change (1). None of the 5 findings were critical.

Inspection Visits

Jan 6, 2026 2 Findings ● 2 Important

● **055-Immunizations**

[19a-87b-10(b)(2)(A)(v) and/or 19a-87b-10(l)]

● **028-Electrical Safety**

[19a-87b-9(d)(3)]

Feb 1, 2024 1 Finding ● 1 Important

● **040-Body of Water**

[19a-87b-9(f)(2) and/or 19a-87b-9(f)(4)]

Jan 3, 2024 2 Findings ● 2 Important

● **011-Notification of Change**

[19a-87b-5(j)]

● **033-Emergency Evacuation Drills-Quarterly**

[19a-87b-9(d)(5)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.