

SPARK - MAPLE HILL

641 MAPLE HILL ROAD
NAUGATUCK, CT

1 Inspection Visit Since 2024 · 5 Findings

Most recent inspection: Dec 10, 2024

● 5 Important

Across 1 inspection since 2024, the issues cited most often were 161- Authorized Prescriber/parent Permission (2), 024- Designated Head Teacher - 60% (1), and 095- Potentially Hazardous Substances, Materials y Labeled, Inaccessible to Children (1). None of the 5 findings were critical.

Inspection Visits

Dec 10, 2024 5 Findings ● 5 Important

● **024- Designated Head Teacher - 60%**

[19a-79-4a(d)(1)]

● **036- Children's Enrollment Information**

[19a-79-5a(a)(1)(A)-(C)]

● **095- Potentially Hazardous Substances, Materials y Labeled, Inaccessible to Children**

[19a-79-7a(e)(10)]

● **161- Authorized Prescriber/parent Permission**

[19a-79-9a(b)(3)(A-B)]

● **164- Labeling and Storage**

[19a-79-9a(b)(5)(A-B)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.