

## EARLY CHILDHOOD LABORATORY SCHOOL

900 LAFAYETTE BLVD  
BRIDGEPORT, CT

### 2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jul 17, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were 111- Outdoor Space (2), 035- Consultants (1), and 136- Feeding (1). None of the 5 findings were critical.

### Inspection Visits

**Jul 17, 2025** 4 Findings ● 4 Important

● **136- Feeding**

[19a-79-10(j)-(k)(1-5)]

● **035- Consultants**

[19a-79-4a(i)(1-2)(H), (F)]

● **066- Licensed Premises-clean, Good Repair, Hazard Free-maintenance Program**

[19a-79-7a(c)(2)]

● **111- Outdoor Space**

[19a-79-7a(h)(1-9)]

**May 2, 2024** 1 Finding ● 1 Important

● **038-Individual Care Plan (Signed by Parent/Staff)**

[19a-79-5a(a)(2)(E)]

#### About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.