

REBECCA BERTA

17 RUDDEN LN
COLCHESTER, CT

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Oct 24, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were 035-Carbon Monoxide Detector (4) and 073-Infants Placed in Safe Crib/Snug Mattress/Tight Sheet (1). None of the 5 findings were critical.

Inspection Visits

Oct 24, 2025 1 Finding ● 1 Important

● 035-Carbon Monoxide Detector

[19a-87b-9(d)(7)]

Jan 4, 2024 4 Findings ● 4 Important

● 073-Infants Placed in Safe Crib/Snug Mattress/Tight Sheet

[19a-87b-10(f)(1) and/or 19a-87b-10(f)(4)]

● 023-Freedom of Hazards

[19a-87b-9(b)]

● 034-Smoke Detectors

[19a-87b-9(d)(6)]

● 035-Carbon Monoxide Detector

[19a-87b-9(d)(7)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.