

BRIGHTPATH - CHESHIRE

1430 HIGHLAND AVE
CHESHIRE, CT

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Sep 8, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were 108- Manufacture Guidelines Followed-furniture, Equipment and Toys- CPSC Unsafe/recalls (2), 040- Individual Care Plan- Signed by Parents/staff (2), and 128- Diapering (1). None of the 5 findings were critical.

Inspection Visits

Sep 8, 2025 5 Findings ● 5 Important

● **128- Diapering**

[19a-79-10(e)(1-10)]

● **038-Child Health Records**

[19a-79-5a(a)(2)(A)-(E)]

● **040- Individual Care Plan- Signed by Parents/staff**

[19a-79-5a(a)(2)(E)]

● **069- Water Supply- Water Testing**

[19a-79-7a(c)(5)(A-C)]

● **108- Manufacture Guidelines Followed-furniture, Equipment and Toys- CPSC Unsafe/recalls**

[19a-79-7a(g)(5)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.