

MOZAIC CHILD DEVELOPMENT CENTER

4200 PARK AVE
BRIDGEPORT, CT

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jul 24, 2025



● 5 Important

Across 2 inspections since 2024, the issues cited most often were 066- Licensed Premises-clean, Good Repair, Hazard Free-maintenance Program (2), 102-Oral/Topical/Inhalant/Injectable Medications: Authorized Prescriber/Parent Permission/MAR (2), and 021- Comprehensive Background Checks (1). None of the 5 findings were critical.

Inspection Visits

Jul 24, 2025 3 Findings ● 3 Important

● 021- Comprehensive Background Checks

[19a-79-4a(b)]

● 066- Licensed Premises-clean, Good Repair, Hazard Free-maintenance Program

[19a-79-7a(c)(2)]

● 086- Water Temperature 60 ℉ 120 ℉

[19a-79-7a(e)(3)]

May 16, 2024 2 Findings ● 2 Important

● 102-Oral/Topical/Inhalant/Injectable Medications: Authorized Prescriber/Parent Permission/MAR

[19a-79-9a(b)(3) and/or 19a-79-9a(b)(4)]

● 104-Oral/Topical/Inhalant/Injectable Medications: Unused/Expired Meds Returned/Disposed

[19a-79-9a(b)(5)(D) and/or 19a-79-9a(b)(5)(E)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.