

CANDELARIA M ORTIZ

128 GURDON ST
BRIDGEPORT, CT

3 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Feb 26, 2026



● 5 Important

Across 3 inspections since 2025, the issues cited most often were 074-Crib or Other Provision Free From Observable Hazards (3), 004-Capacity (1), and 028-Electrical Safety (1). None of the 5 findings were critical.

Inspection Visits

Feb 26, 2026 2 Findings ● 2 Important

● **074-Crib or Other Provision Free From Observable Hazards**

[19a-87b-10(f)(3) and/or 19a-87b-10(f)(7)]

● **004-Capacity**

[19a-87b-5(d) and/or 10(a)]

Nov 18, 2025 2 Findings ● 2 Important

● **068-Proper Rest Provisions/Safe Cribs**

[19a-87b-10(c)(5)]

● **073-Infants Placed in Safe Crib/Snug Mattress/Tight Sheet**

[19a-87b-10(f)(1)]

Nov 6, 2025 1 Finding ● 1 Important

● **028-Electrical Safety**

[19a-87b-9(d)(3)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.