

FIRST STEP PRESCHOOL - WILTON

240 WOLFPIT ROAD
WILTON, CT

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Dec 1, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were 065- Space Not Approved-not Used for Field Trips-written Parent Permission (3), 010-Notification of Change (1), and 166- Unused/Expired Meds-destroyed/returned (1). None of the 5 findings were critical.

Inspection Visits

Dec 1, 2025 3 Findings ● 3 Important

● **010-Notification of Change**

[19a-79-3a(c)(1-4)]

● **065- Space Not Approved-not Used for Field Trips-written Parent Permission**

[19a-79-7a(b)(6)]

● **070- Lead Paint- Testing, Management Plans**

[19a-79-7a(c)(6)(A-D)]

Dec 6, 2024 2 Findings ● 2 Important

● **109- Indoor Climbing Play Equipment- Shock Absorbing Materials Under and Around**

[19a-79-7a(g)(6)]

● **166- Unused/Expired Meds-destroyed/returned**

[19a-79-9a(b)(5)(D)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.