

ANYOLINE CABRERA

43 W HIGH ST
NEW LONDON, CT

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Sep 11, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were 035-Carbon Monoxide Detector (3) and 059-Swimming Permission (2). None of the 5 findings were critical.

Inspection Visits

Sep 11, 2025 2 Findings ● 2 Important

● **033-Emergency Evacuation Drills-Quarterly**

[19a-87b-9(d)(5)]

● **035-Carbon Monoxide Detector**

[19a-87b-9(d)(7)]

Feb 1, 2024 1 Finding ● 1 Important

● **050-First Aid Supplies**

[19a-87b-9(m) and/or 19a-87b-9(n)]

Aug 7, 2023 2 Findings ● 2 Important

● **058-Field Trip and Transportation Permission**

[19a-87b-10(b)(3)(C) and/or 19a-87b-10(b)(3)(D)]

● **059-Swimming Permission**

[19a-87b-10(b)(3)(E)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.