

CADENCE ACADEMY PRESCHOOL

801 BALDWIN RD # 1119

ORANGE, CT

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 22, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 084- Air Temperature 65F at 3 ft-Thermometer Affixed (2), 160- Medication Trainings (1), and 047- Nutritious Meals and Snacks (1). None of the 5 findings were critical.

Inspection Visits

Jan 22, 2026 3 Findings ● 3 Important

● **040- Individual Care Plan- Signed by Parents/staff**

[19a-79-5a(a)(2)(E)]

● **047- Nutritious Meals and Snacks**

[19a-79-6a(a)(2)]

● **160- Medication Trainings**

[19a-79-9a(b)(1)(A-F)-(2)(A-C)]

Jan 7, 2025 2 Findings ● 2 Important

● **084- Air Temperature 65F at 3 ft-Thermometer Affixed**

[19a-79-7a(e)(1-2)]

● **086- Water Temperature 60 ℉ 120 ℉**

[19a-79-7a(e)(3)]

About this report

Childery generates this report from public inspection records published by the Connecticut Office of Early Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Connecticut Office of Early Childhood.