

Two Birds Tenleytown

4001 Brandywine ST, NW
Washington, DC

1 Inspection Visit Since 2024 · 1 Finding

Most recent inspection: May 13, 2025

● 1 Important

Across 1 inspection since 2024, the issues cited most often were Failure of a Licensee to Ensure That the Temperature Within Each Room of Program Space Shall Be Maintained at Between Sixty-eight Degrees Fahrenheit (68°F) and Seventy-five Degrees Fahrenheit (75°F) From October Through March, and Between Sixty-eight Degrees Fahrenheit (68°F) and Eighty-two Degrees Fahrenheit (82°F) From April Through September. (1). The single finding was not critical.

Inspection Visits

Jan 17, 2024 1 Finding ● 1 Important

- **Failure of a Licensee to Ensure That the Temperature Within Each Room of Program Space Shall Be Maintained at Between Sixty-eight Degrees Fahrenheit (68°F) and Seventy-five Degrees Fahrenheit (75°F) From October Through March, and Between Sixty-eight Degrees Fahrenheit (68°F) and Eighty-two Degrees Fahrenheit (82°F) From April Through September.**

124.2 - General Health and Safety

About this report

Childery generates this report from public inspection records published by the District of Columbia Office of the State Superintendent of Education, Division of Early Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the District of Columbia Office of the State Superintendent of Education, Division of Early Learning.