

KINGSWOOD COMMUNITY CENTER

2300 BOWERS STREET
WILMINGTON, DE

2 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Apr 13, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were Outdoor Area (2), Personnel Files (1), and Child Files (1). None of the 5 findings were critical.

Inspection Visits

Apr 13, 2026 3 Findings ● 3 Important

● **Personnel Files**

30U

Ensure staff files are complete. Staff #2 needs CPR/ FA, Admin of Meds Staff #4 needs CPR/FA Staff #5 needs fingerprinting

● **Child Files**

40U

Ensure child files are complete. Child #2,3,8 needs days/times/hours Child #3,4,5 needs health appraisals Child #4 needs blood lead screening Ch

● **Outdoor Area**

53U

Rake mulch into fall zones, send pics. Replace the fence latch and send pics.

Mar 3, 2026 2 Findings ● 2 Important

● **Ratios, Group Size, and Supervision**

27U

Supervision - A licensee shall ensure supervision and direct observation of children is provided at all times. The facility has since added an alar

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

● **Outdoor Area**

53U

When a licensee cannot meet the outdoor space requirement, the licensee shall provide a minimum of 700 square feet of open, accessible indoor play spa

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.