

THERESA RUFF

243 BAYARD AVENUE
DOVER, DE

4 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Jan 30, 2026



● 5 Important

Across 4 inspections since 2024, the issues cited most often were General Requirements (1), Use of a Substitute (1), and Telephones (1). None of the 5 findings were critical.

Inspection Visits

Jan 30, 2026 1 Finding ● 1 Important

● **General Requirements**

13P

Ensure an annual fire marshal inspection is completed.

Jan 21, 2026 2 Findings ● 2 Important

● **Use of a Substitute**

15P

Ensure at least an emergency substitute is on file and meets requirements with a health appraisal. TB results, orientation, and letter of eligibility

● **Telephones**

17P

Ensure the listed telephone number has an operational voicemail that is not full. LS telephoned the provider, and a voicemail could not be left. Alt

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

Dec 1, 2025 1 Finding ● 1 Important

● **License Renewal**

8P

Ensure a radon test is completed every five years. The provider was reminded at the annual visit on December 1, 2025, that the radon was going to exp

Dec 4, 2024 1 Finding ● 1 Important

● **Parents Right to Know Act**

21P

Provide OCCL with the parents right to know form

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.