

QUONDARA DISMUKE

14869 WILSON HILL ROAD
GEORGETOWN, DE

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Feb 4, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Children's Files (1), Indoor Space (1), and Fire Safety (1). None of the 5 findings were critical.

Inspection Visits

Feb 4, 2026 5 Findings ● 5 Important

● Children's Files

22P

Ensure child files are complete. Four children need a health appraisal. Two children need an immunization record. One child needs blood lead screening

● Indoor Space

29P

Ensure electrical outlets are covered. Ensure an electrical inspection is conducted by an approved agency every three years.

● Fire Safety

30P

Ensure the fire extinguisher is inspected and tagged annually.

● Kitchen and Food Preparation

31P

Ensure the kitchen, food prep, serving areas, appliances, and utensils are clean and sanitary. The kitchen counters need to be cleaned. An unplugged c

● Diapering and Soiled Clothing

40P

Ensure diapers are disposed of in a trashcan that has been lined with a plastic bag. The foot-activated trashcan used for diapers was observed full of

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.