

PAMELA HOUDEK

567 BLAINE DR
FELTON, DE

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Jan 6, 2026

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Fire Safety (1), Capacity (1), and Hazardous Materials (1). None of the 5 findings were critical.

Inspection Visits

Jan 6, 2026 2 Findings ● 2 Important

● **Fire Safety**

30P

Ensure the fire extinguisher is inspected and tagged annually.

● **Capacity**

57P

Ensure capacity restrictions are followed at all times. According to the renewal application submitted on 12/01/2025, Ms. Houdek has one infant, four

Dec 11, 2024 2 Findings ● 2 Important

● **Hazardous Materials**

27P

Ensure radon testing is completed every five years. The FCCH's radon test results expired 11/1/2024.

● **Pets**

48P

Ensure rabies vaccinations are kept current. The rabies vaccinations for one dog expired on 11/7/2024.

Dec 6, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

● **Children's Files**

22P

Ensure child files are complete. Child #3 needs a health appraisal, immunization records, and blood lead level results.
Child #5 and #6 need blood lea

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.