

BRICKHOUSE ACADEMY

1148 RIVER RD
NEW CASTLE, DE

1 Inspection Visit Since 2024 - 5 Findings

Most recent inspection: Sep 5, 2024

● 5 Important

Across 1 inspection since 2024, the issues cited most often were General Requirements (1), Use of a Substitute (1), and Children's Files (1). None of the 5 findings were critical.

Inspection Visits

Sep 5, 2024 5 Findings ● 5 Important

● **General Requirements**

13Q

Ensure all household and staff members have received an eligibility determination before being present. Staff #1 was present without being determined

● **Use of a Substitute**

15Q

Submit full staff files for Staff #3 and #1, including eligibility letters, orientation training, and adult health appraisals.

● **Children's Files**

22Q

Ensure child files are complete. Submit blood lead screening results for Children #9 and 16. Submit full health appraisal with immunizations for Child

● **Hazardous Materials**

27Q

Submit Radon results. Current Radon expired on 8/22/2024.

● **Capacity and Staff/Child Ratios**

68Q

Ensure provider and assistant are present when 7 or more preschool-age or younger are present. 9 Children were present with the assistant and one staf

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.