

DONNA ZEBERKIEWICZ

536 HEMINGWAY DRIVE
HOCKESSIN, DE

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Sep 3, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Children's Files (1), Daily Attendance of Children (1), and Hazardous Materials (1). None of the 5 findings were critical.

Inspection Visits

Sep 3, 2025 5 Findings ● 5 Important

● **Children's Files**

22P

Ensure all child files are complete. Child #3 needs an updated Health Appraisal and Immunizations. Child #3, 5, 6 need Blood Lead Screening results.

● **Daily Attendance of Children**

24P

Ensure child attendance is accurately documented daily. Submit 1 weeks' worth of attendance rosters to OCCL.

● **Hazardous Materials**

27P

Obtain current Radon Results for all spaces utilized by the children throughout their day. (Current results have expired)

● **Outdoor Area**

32P

Remove or replace the sandbox in the outdoor space. The lid is broken and has exposed screws.

● **Meals and Snacks**

50P

Ensure current menus are posted in visible spaces. (potentially the parent board by the front door). Submit a picture to OCCL.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.