

BRIGHTPATH MILFORD

200 KINGS HWY
MILFORD, DE

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: May 12, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Administration of Medication (1), Outdoor Area (1), and Kitchen and Food Preparation (1). None of the 5 findings were critical.

Inspection Visits

May 12, 2026 5 Findings ● 5 Important

● **Personnel Files**

30U

Ensure staff files are complete. One staff needs OCCL's Health & Safety Training. One staff needs a service letter, One staff needs annual safe sleep

● **Hazardous Materials**

45U

Ensure radon testing is conducted every five years in each classroom or area where children are present. Complete testing.

● **Kitchen and Food Preparation**

50U

Ensure stored food in kitchen is labeled with it's contents and the expiration date. Add labeling to foods.

● **Outdoor Area**

53U

Ensure exit gates in each playground area is self-closing. Repair the three exit gates.

● **Administration of Medication**

63U

Ensure Medication Administration Records (MAR) is completed for each sunscreen on site used for children. Ensure medications are not accepted without

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.