

NADINE HENDERSON

14 OLD HAMBURG RD
BEAR, DE

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Apr 2, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Indoor Space (2), Parents Right to Know Act (1), and Daily Attendance of Children (1). None of the 5 findings were critical.

Inspection Visits

Apr 2, 2025 1 Finding ● 1 Important

● **Indoor Space**

29P

Obtain a current Electrical Inspection. The current inspection expired on 11/2024.

Apr 19, 2024 4 Findings ● 4 Important

● **Parents Right to Know Act**

21P

Submit Parents Right to Know Log.

● **Daily Attendance of Children**

24P

Ensure that children's attendance includes exact arrival and departure times. Send one week of attendance to OCCL as documented proof.

● **Indoor Space**

29P

Remove air fresheners from the bathroom. This was corrected at visit.

● **Fire Safety**

30P

Ensure fire extinguisher is tagged annually. Send documentation to OCCL.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.