

TAMIRAH COLEMAN

713 VANDEVER AVENUE
WILMINGTON, DE

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Dec 11, 2025

● 4 Important

Across 2 inspections since 2024, the issues cited most often were Fire Safety (2), Emergency Planning (1), and Pets (1). None of the 4 findings were critical.

Inspection Visits

Dec 11, 2025 2 Findings ● 2 Important

● **Fire Safety**

30P

Ensure the fire extinguisher is tagged annually. Send a picture of the new tag once acquired.

● **Emergency Planning**

45P

Ensure the fire evacuation map is displayed in a centralized location and is visible, depicting two exits. Send picture of the map posted.

Dec 3, 2024 2 Findings ● 2 Important

● **Fire Safety**

30P

Ensure the fire extinguisher is tagged and inspected yearly. Submit a picture of the updated tag to OCCL when received.

● **Pets**

48P

Ensure pets vaccinations are current. Send documentation of Remy's vaccination when received.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.