

THE MIL ACADEMY

1169 SOUTH DUPONT HIGHWAY
NEW CASTLE, DE

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: May 14, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Personnel Files (1), Child Files (1), and Indoor Space (1). None of the 5 findings were critical.

Inspection Visits

May 14, 2026 5 Findings ● 5 Important

● **Personnel Files**

30U

Ensure staff files are complete. -Staff #1 needs an adult health appraisal with TB.

● **Child Files**

40U

Ensure children's files are complete. -Child #8 needs blood lead screening results.

● **Indoor Space**

49U

Ensure surfaces are cleanable. -Repair/Replace ceiling tiles in the hallway bathroom. -Repair/repaint the wall near the emergency exit in the Trail

● **Equipment**

57U

Ensure equipment is in good repair. The sofa in the Trailblazer classroom is ripped.

● **Sanitation**

58U

Ensure a spray bottle with soap and water is available at the diaper changing table in the hallway bathroom.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.