

TERRI BELL

512 SALLY LANE
MIDDLETOWN, DE

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 10, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were General Requirements (1), Fire Safety (1), and First Aid Kit (1). None of the 5 findings were critical.

Inspection Visits

Feb 10, 2026 3 Findings ● 3 Important

● **General Requirements**

13P

Ensure renewal application is submitted to OCCL 60 days before license expiration. Send renewal application packet including state business license to

● **Fire Safety**

30P

Ensure fire extinguisher is mounted to the wall. Fire extinguisher was on the floor at the time of the visit. Send picture of mounted fire extinguishe

● **First Aid Kit**

44P

Ensure First aid kits are complete. The kits need a first aid guide and the travel kit needs to include bottle water and liquid hand soap. Send pictur

Feb 4, 2025 2 Findings ● 2 Important

● **Children's Files**

22P

Ensure child files are complete. Child #1 need health appraisal, Emergency card info, Immunizations, Blood lead screening, and Parent permissions.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

● **Hand Washing**

38P

Ensure paper towels are available for hand washing in the bathroom. This was corrected at the visit.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.