

CADENCE ACADEMY PRESCHOOL-MILLSBORO

213 W STATE ST
MILLSBORO, DE

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jul 15, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Personnel Files (2), Outdoor Area (1), and Diapering and Soiled Clothing (1). None of the 5 findings were critical.

Inspection Visits

Jul 15, 2025 4 Findings ● 4 Important

● **Personnel Files**

30U

Ensure staff files are complete. Eight staff need an updated Administration of Medication certification.

● **Outdoor Area**

53U

Ensure two exit gates are in good repair and self-close and self-latch. Repair exit gates.

● **Diapering and Soiled Clothing**

61U

Ensure diapering procedures are followed for pull-up changes, including utilizing a disposable cover, a foot-activate diaper pail, and posting a proce

● **Activity Areas**

75U

Ensure classrooms for ages two years and older have the five required activity areas. This was corrected at the visit when accessible art supplies wer

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

Jul 25, 2024 1 Finding ● 1 Important

● **Personnel Files**

30U

Ensure staff files are complete. Staff #1 needs an adult Health Appraisal.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.