

PYLE CHILD DEVELOPMENT CENTER

34314 PYLE CENTER RD
FRANKFORD, DE

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Apr 22, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Personnel Files (1), Child Files (1), and Hazardous Materials (1). None of the 5 findings were critical.

Inspection Visits

Apr 22, 2026 5 Findings ● 5 Important

● **Personnel Files**

30U

Ensure staff files are complete. One staff needs application or personal data sheet, employee declaration signed and health appraisal with TB.

● **Child Files**

40U

Ensure child files are complete. Once child needs parent permissions page. One child needs updated health appraisal.

● **Hazardous Materials**

45U

Ensure soap and water and sanitizing solution are available in all the classrooms. Infant room was missing soap and water and sanitizing solution.

● **Outdoor Area**

53U

Ensure fall zones have at least 6 inches of material and extends 6 feet in all directions. Ensure gates exiting the playground are unlocked.

● **Administration of Medication**

63U

Ensure medication is stored out of children's reach.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.