

GWENDOLYN RASH

9472 WILLOW GROVE ROAD
CAMDEN WYOMING, DE

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Apr 15, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were License Renewal (2), Hazardous Materials (1), and Parents Right to Know Act (1). None of the 5 findings were critical.

Inspection Visits

Apr 15, 2026 1 Finding ● 1 Important

● **Hazardous Materials**

27P

Ensure radon test is conducted every five years.

Apr 6, 2026 1 Finding ● 1 Important

● **License Renewal**

8P

Ensure renewal application is submitted at least 60 days prior to license expiration.

Apr 8, 2024 3 Findings ● 3 Important

● **Parents Right to Know Act**

21P

Ensure Parents Right to Know log is complete with current and potential families.

● **Children's Files**

22P

Ensure child files are complete. Child #4 and #6 need Blood Lead Screening results.

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

● **License Renewal**

8P

Ensure application renewal is submitted at least 60 days prior to license expiration. This was corrected at visit when provider turned in application

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.