

ACELERO LEARNING DUNBAR CENTER

1110 WEST 6TH STREET
LAUREL, DE

2 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: May 26, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were Personnel Files (1), Child Files (1), and Indoor Space (1). None of the 5 findings were critical.

Inspection Visits

May 26, 2026 4 Findings ● 4 Important

● **Personnel Files**

30U

Ensure staff files are complete. Three staff members need CPR and first aid certifications. Three staff members need administration of medication training

● **Child Files**

40U

Ensure child files are complete. Two children need health appraisals and immunization records. Two children need parents right to know acknowledgement

● **Indoor Space**

49U

Ensure all areas are clean. Clean the vent located in the girls bathroom in EHS Classroom #4. Ensure individual storage spaces are organized so children can find their belongings

● **Diapering and Soiled Clothing**

61U

Discontinue the use of the diaper genie located in EHS Classroom #4 as it is not foot activated and poses potential for cross contamination.

Mar 19, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

● **Changes Affecting a License**

9U

Submit a plan review and receive approval before making additions or renovations to the outdoor areas of the center.
On March 19, 2026, the administra

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.