

# HOLY ANGELS SCHOOL

82 POSSUM PARK ROAD  
NEWARK, DE

## 1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Jan 12, 2026



- 5 Important

Across 1 inspection since 2026, the issues cited most often were Personnel Files (1), First Aid and CPR Training (1), and Indoor Space (1). None of the 5 findings were critical.

## Inspection Visits

### About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

**Jan 12, 2026** 5 Findings ● 5 Important

● **Personnel Files**

30U

Ensure staff files are complete. Annual review of abuse and neglect is needed for Staff #1, #2, #3, #4, #5, #6 and #7. Send documentation to OCCL by

● **First Aid and CPR Training**

35U

Ensure staff complete First Aid and CPR within two months of employment and renew every two years. Staff #2 needs to renew their CPR and First Aid t

● **Indoor Space**

49U

Ensure classrooms have trash cans with lid. All four classrooms need trash can with lid. Send picture of trash cans with lid to OCCL by February 13,

● **Outdoor Area**

53U

Ensure playground gates are unlocked while in use. Ensure both gates are self-closing and self-latching. Send picture to OCCL of both gates by Fe

● **Emergency Planning**

66U

Ensure all classrooms have evacuation route posted. Room 128/4B needs an evacuation route posted. Ensure current monthly fire prevention and drills ar

**About this report**

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.