

ACELERO LEARNING BRIDGEVILLE CENTER

2 LAVERTY LANE
BRIDGEVILLE, DE

2 Inspection Visits Since 2026 · 4 Findings

Most recent inspection: May 5, 2026

● 4 Important

Across 2 inspections since 2026, the issues cited most often were Indoor Space (1), Staffing (1), and Personnel Files (1). None of the 4 findings were critical.

Inspection Visits

May 5, 2026 1 Finding ● 1 Important

● **Indoor Space**

49U

Ensure walls are cleanable and in good repair. Repair the wall located between the two sinks in the girl's bathroom located in the hallway. Ensure ele

Jan 20, 2026 3 Findings ● 3 Important

● **Staffing**

26U

Document the training of the staff member trained in the day-to-day operations.

● **Personnel Files**

30U

Ensure staff files are complete. One staff member needs CPR and first aid certification, administration of medication training and/or certification, a

● **Child Files**

40U

Ensure child files are complete. One child needs blood lead screening results. One child needs a health appraisal, immunization record, and blood lead

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.