

ACELERO LEARNING HARRINGTON CENTER

112 EAST STREET
HARRINGTON, DE

2 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: May 12, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were Personnel Files (1), Child Files (1), and Outdoor Area (1). None of the 5 findings were critical.

Inspection Visits

May 12, 2026 4 Findings ● 4 Important

● **Personnel Files**

30U

Ensure staff files are complete. One staff member needs a professional development plan.

● **Child Files**

40U

Ensure child files are complete. One child needs blood lead screening results and screen time permission.

● **Outdoor Area**

53U

Ensure the gates in the outdoor play area are self-closing and self-latching. The front gate to the Early Head Start outdoor play area is not self-lat

● **Sleeping Accommodations and Safe Sleep Environments**

56U

Ensure children are provided with a top and bottom covering for nap time. A child was observed without a top or bottom covering, and two children were

Mar 20, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.

● **Changes Affecting a License**

9U

Submit a plan review and receive approval before making additions or renovations to the outdoor areas of the center.
On March 20, 2026, the director o

About this report

Childery generates this report from public inspection records published by the Delaware Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Delaware Office of Child Care Licensing.